

# CM01 – Concrete and Masonry Structures 1 Introductory information to seminars




Author: Jakub Holan

Last update: 23.09.2023 19:30

### Course overview

Concrete and Masonry Structures 1 is **an advanced course**. You **must have prior general knowledge of design of concrete structures** – e.g., from the "Fundamentals of Structural Design" course.



https://eobchod.cvut.cz/ctu\_study\_note s/ctu\_study\_notes/design\_procedures\_f or\_reinforced\_concrete\_structures-150028012



#### Seminar overview


#### **Seminars:**

- homework assignment,
- brief explanation of the homework,
- homework consultations and submission.

You must attend the lectures of this course, because important information needed for the completion of the homeworks will be explained in the lectures.

# Homework assignments

There will be **6 mandatory task assignments** (divided into **13 homeworks**) in this seminar. All of the task assignments are available on my webpage: people.fsv.cvut.cz/www/holanjak/vyuka/CM01/.



|     |                                    |     | Task 1 |     |   |               |              |          |     |         | Task 2       |        |        | Task 3 | Task 4  |       |     |      |
|-----|------------------------------------|-----|--------|-----|---|---------------|--------------|----------|-----|---------|--------------|--------|--------|--------|---------|-------|-----|------|
|     |                                    | R   | a      | h   | n | (g-g0)floor,k | (g-g0)roof,k | qfloor,k | P   | Z       | oncrete clas | Scheme | Member | b [m]  | hs [mm] | d [m] | т   | W    |
| No. | Name                               | [m] | [m]    | [m] |   | [kN/m2]       | [kN/m2]      | [kN/m2]  |     | [years] |              |        | •      | [m]    | [m]     | [m]   |     |      |
| 1   | Avramita, Mara                     | 5.4 | 6.9    | 3.7 | 5 | 1.6           | 1.8          | 3.9      | XC2 | 50      | C30/37       | Α      | P1     | 6.7    | 220     | 7.1   | === | 1    |
| 2   | Björk, Sofie                       | 4.1 | 5.9    | 3.4 | 6 | 1.3           | 1.6          | 2.9      | XC1 | 50      | C30/37       | В      | P1     | 6.9    | 200     | 7.1   | IV  | II . |
| 3   | Bonnin, Andréa                     | 4.3 | 7.2    | 3.7 | 4 | 0.9           | 1.7          | 4.4      | XC2 | 50      | C30/37       | С      | P1     | 7.3    | 230     | 7.1   | III | III  |
| 4   | Charles Moody, Henry               | 5.0 | 6.8    | 4.0 | 6 | 1.3           | 2.1          | 2.9      | XC1 | 50      | C30/37       | D      | S1     | 7.3    | 230     | 8.3   | IV  | 1    |
| 5   | Lambaek, Jeppe                     | 5.4 | 6.2    | 3.1 | 5 | 0.9           | 1.4          | 2.4      | XC1 | 80      | C30/37       | E      | P1     | 7.6    | 220     | 8.3   | III | II . |
| 6   | Larssen, Line Karina               | 4.5 | 6.4    | 3.3 | 4 | 1.9           | 1.1          | 4.9      | XC2 | 80      | C30/37       | F      | P1     | 6.1    | 200     | 8.1   | IV  | III  |
| 7   | Mackenzie, Stephen                 | 4.8 | 4.7    | 3.6 | 6 | 1.8           | 1.9          | 4.1      | XC1 | 50      | C25/30       | Α      | P2     | 5.8    | 170     | 6.5   | III | 1    |
| 8   | Nogueira Carvalho, Jorge Gregory   | 4.4 | 5.6    | 3.9 | 7 | 1.1           | 1.9          | 2.9      | XC1 | 50      | C25/30       | В      | P2     | 5.5    | 180     | 6.5   | IV  | 1    |
| 9   | Pacheco Pereira Cavaco, Pedro      | 4.9 | 6.0    | 3.3 | 5 | 1.4           | 1.7          | 4.9      | XC2 | 50      | C25/30       | С      | P2     | 6.1    | 190     | 6.1   | III | III  |
| 10  | Pedrosa De Sousa, Miguel Alexandre | 5.2 | 5.9    | 3.4 | 4 | 1.1           | 2.1          | 4.0      | XC2 | 50      | C25/30       | D      | P2     | 6.1    | 190     | 7.7   | IV  | 1    |
| 11  | Pereira Amado, Ricardo Luís        | 4.0 | 5.4    | 3.5 | 5 | 1.4           | 1.4          | 4.9      | XC1 | 80      | C25/30       | E      | P2     | 6.7    | 190     | 7.7   | III | II . |
| 12  | Teodorescu, Andrei-Cosmin          | 4.8 | 4.9    | 3.7 | 6 | 1.6           | 2.7          | 4.9      | XC1 | 80      | C25/30       | F      | P2     | 6.1    | 180     | 7.1   | IV  | III  |
| 13  |                                    | 5.3 | 5.6    | 3.7 | 6 | 1.7           | 1.8          | 4.9      | XC1 | 50      | C20/25       | Α      | P1     | 6.7    | 200     | 6.7   | III | 1    |
| 14  |                                    | 4.9 | 5.9    | 3.1 | 8 | 1.5           | 1.7          | 1.9      | XC2 | 50      | C20/25       | В      | P1     | 6.1    | 190     | 6.2   | IV  | II . |
| 15  |                                    | 5.1 | 6.0    | 3.6 | 5 | 1.1           | 1.7          | 2.9      | XC1 | 50      | C20/25       | С      | P1     | 6.1    | 190     | 8.3   | III | III  |
| 16  |                                    | 4.2 | 6.2    | 3.7 | 4 | 2.0           | 2.1          | 4.9      | XC2 | 50      | C20/25       | D      | S1     | 7.0    | 210     | 8.6   | IV  | 1    |
| 17  |                                    | 5.1 | 6.2    | 3.3 | 5 | 2.1           | 1.4          | 3.9      | XC1 | 80      | C20/25       | E      | P1     | 7.3    | 220     | 7.4   | III | II . |
| 18  |                                    | 4.6 | 6.5    | 3.4 | 7 | 1.9           | 1.1          | 2.4      | XC1 | 80      | C20/25       | F      | P1     | 6.7    | 210     | 7.4   | IV  | III  |
| 19  |                                    | 5.2 | 7.1    | 3.4 | 6 | 1.7           | 1.8          | 2.9      | XC1 | 50      | C30/37       | Α      | P2     | 6.1    | 210     | 7.1   | III | 1    |
| 20  |                                    | 5.5 | 6.9    | 3.9 | 5 | 1.6           | 1.9          | 2.9      | XC1 | 50      | C30/37       | В      | P2     | 7.6    | 230     | 8.1   | IV  | II . |
| 21  |                                    | 5.3 | 5.9    | 4.0 | 4 | 1.4           | 1.7          | 3.8      | XC2 | 50      | C30/37       | С      | P2     | 6.7    | 200     | 7.7   | III | III  |
| 22  |                                    | 4.7 | 5.4    | 4.3 | 8 | 1.9           | 2.4          | 3.9      | XC2 | 50      | C30/37       | D      | P2     | 6.1    | 180     | 7.1   | IV  | 1    |
| 23  |                                    | 5.0 | 5.6    | 3.7 | 6 | 1.3           | 1.9          | 2.9      | XC1 | 80      | C30/37       | E      | P2     | 5.8    | 180     | 7.7   | IV  | 1    |
| 24  |                                    | 5.1 | 6.0    | 3.2 | 5 | 1.6           | 1.8          | 4.2      | XC1 | 50      | C30/37       | F      | P2     | 6.2    | 200     | 7.5   | IV  | III  |
| 25  |                                    | 4.9 | 5.4    | 3.7 | 6 | 1.2           | 1.8          | 3.0      | XC2 | 80      | C30/37       | Α      | P1     | 6.2    | 190     | 7.7   | III | 1    |
|     |                                    |     |        |     |   |               |              |          |     |         |              |        |        |        |         |       |     |      |



# Homework support materials

For the assigned homework, support materials (presentations, tables, examples of


solved HWs etc.) are available on my webpage:

people.fsv.cvut.cz/www/holanjak/vyuka/CM01/.

#### **Advice:**

In order to best understand the topics, complete the homework on your own using the information from lectures and seminar.

(Use the examples of the solved HWs only as a last resort when you really do not know what to do.)



## Seminar requirements

In order to <u>successfully pass the seminar</u>, you must complete and submit <u>all</u> homeworks, in their respective deadlines — see the <u>Seminar programme</u>. Each homework must be <u>personally consulted</u> with me, and you must obtain a confirmation of the <u>successful completion</u> of the homework from me.

Recommended submission date for each homework is 1 week after its assignment. **Deadline for each homework is 2 weeks after the assignment**\*.

If you fail to meet the deadline 2 times, you will fail the seminar, and you will not be able to take the exam and complete the course!

**<sup>▶</sup>** beton4life


<sup>\*</sup> Under special circumstances (e.g., illness), the deadline can be extended – but only if you request the extension BEFORE the deadline!


## Homework rules

There are **specific rules** regarding the form of the homeworks.

- Write your homework on one-sided A4 paper with 5 cm left margin.
- All load calculations must be done in tables.
- Draw simple but clear schemes (for better understanding).

| Туре        | Name                            | $f_k [kN/m^2]$   | $\gamma_F$ | $f_d [kN/m^2]$   |
|-------------|---------------------------------|------------------|------------|------------------|
| Permanent   | -Surface layer (carpet/ceramic) | 0.20             | 1.35       | 0.27             |
| (Dead load) | -Glue layer                     | 0.01             | 1.35       | 0.01             |
|             | -Concrete (leveling layer)      | 1.25             | 1.35       | 1.69             |
|             | -Separation foil                | 0.01             | 1.35       | 0.01             |
|             | -Acoustic insulation (EPS/XPS)  | 0.05             | 1.35       | 0.07             |
|             | -Reinforced concrete            | 0.28*25=6.88     | 1.35       | 9.28             |
|             | -Plaster                        | 0.06             | 1.35       | 0.08             |
|             | -Partitions                     | 0.11             | 1.35       | 0.15             |
| Variable    |                                 | 2.00             | 1.50       | 3.00             |
| (Live load) |                                 |                  |            |                  |
| Total       |                                 | $\Sigma = 10.57$ |            | $\Sigma = 14.56$ |





## Homework rules 2

There are **specific rules** regarding the form of the homeworks.

- Homework must be well arranged, clear, and controllable.
- Pages must be numbered (for cross referencing).
- All calculations and assumptions used in the analysis must be written.
- Write general equations (with letters), specific equations (with numbers), and results with units.

# Introductory test

# Assignment 1

Calculate the **design area load**  $f_{a,d}[kN/m^2]$  on a concrete slab (plate). The slab is 200 mm thick and is loaded by:

- slab self-weight,
- other dead (permanent) load:  $f_{(q-q_0),k} = 1.5 \text{ kN/m}^2$ ,
- live (imposed) load:  $f_{q,k} = 3 \text{ kN/m}^2$ .

Hint:

$$g_0 = h \gamma_c$$


$$\gamma_G = 1.35$$

$$\gamma_Q = 1.5$$

# Assignment 2

Calculate the **load-bearing capacity of a cross-section in bending**  $M_{Rd}$  of the given cross-section. Overall area of steel rebars is  $A_s = 800 \text{ mm}^2$ . Materials:

- concrete C30/37,
- steel B 500B.



#### Hint:

Calculation steps:

- 1)  $f_{cd} = ...$  and  $f_{yd} = ...$
- 2) x =
- 3) z =
- 4)  $M_{Rd} =$

# thank you for your attention